



KANGRUI
MANUFACTURING COMPANY OF METAL FABRICATION

YUYAO KANGRUI METAL
PRODUCTS CO., LTD

BOX
PRODUCT
CATALOGUE



KANGRUI
MANUFACTURING COMPANY OF METAL FABRICATION

YUYAO KANGRUI METAL PRODUCTS CO.,LTD

Add: Wolong, Xinshu Village, Lianghui Town, Yuyao,315400,China.
Mob: +86 186 6825 4997
Tel: +86 574 6264 2331
Fax: +86 574 6264 2333
Web: www.cnkangrui.com
Email: Jason@cnkangrui.com



2022

WWW.cnkangrui.com

TECHNOLOGY



Facilities Overview

Kangrui focus on the innovation of production technology. In order to boost the productivity, we always treat automatic production as our core competencies. Since our engineer team know your needs and pay attention to your manufacturing methods and processes, they can provide you with customized assembly solutions, whatever field you are in. To deserve your trusting. We are uncompromising when it comes to the quality and precision. The all solutions are tested and approved in our laboratory or by third party.

Research & Development

Kangrui is able to develop new and still better products rapidly through its own Research and Development depart. In initial stage, our client just need to offer us with the drawing or samples of product, our R&D team will be working on the designing of all tooling. And then we deliver our samples to our clients for confirmation and testing, ensuring all details meet client's requirements perfectly. Certainly, our engineer will listen the feedback from our client.

Raw Material

How to make sure the performance of raw material is the essential issue as a manufacturer. In order to ensure the raw material meet the requirement from client, we always insist on choosing reliable supplier for steel material. So our client will obtain the material certification after the order have been shipped.

Quenching

Kangrui have a complete production line for quenching, some items like Express Nails, you have to care about the flexibility with them, and so we will choose the method of quenching to enhance its hardness. Certainly, our QC staff will fulfill the testing of HRC in our laboratory.

Surface Treatment

Kangrui offer so enough many option for the surface treatment. Including zinc plating, Pre-galvanized, Hot-dip Galvanizing, Dacromet, Powder Coating. For the specified performance for each surface treatment,

Quality Commitment


Quality plays a cross role in each Kangrui process, from the initial designing of samples to final the production batch products, dealing with different mechanisms of verification on the various supply/production flows and it covers the role of prior identification of the most critical stages during the control. Our climate controlled facilities performs mechanical, hardness, zinc testing and tensile loading testing to ensure our product are within good performance. If our climate have special testing requirements for our products, these testing also will be tested by third part, which lets our customers know that they can count on the consistent quality of Kangrui's products and services.

Our certification packages are the most accurate and comprehensive in the industry. We store all of our documents electronically for easy retrieval should you ever need an additional copy. For all order with an email address, A PDF copy of the certifications will be sent immediately after the order has shipped. This is standard procedure. If you have special certification requirements, just let us know and we will happy to accommodate your needs.

4" SQUARE BOXES WITH 1-1/2" DEPTH, WELDED

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our collection includes 1-1/2", 2-1/8", 3-1/2" depths with welded steel construction.


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02H11201(189)		8-1/2",4-TKO	2-1/2",2-3/4"	21.0	50
02H11205(181)		8-3/4"	2-1/2",2-TKO	21.0	50
02H11206(193)	B	6-1/2",3-TKO	3-1/2",2-TKO	21.0	24/25
02H11207(196)	FB	6-1/2",3-TKO	3-1/2",2-TKO	21.0	24/25
02H11208(197)	WB	6-1/2",3-TKO	3-1/2",2-TKO	21.0	24/25
02H11209(208)	OB	6-1/2",3-TKO	3-1/2",2-TKO	21.0	24/25
02H11211(219)	WB,MC	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11202(213)	MC	4-1/2",4-Loom,2-TKO	1-1/2"	21.0	50
02H11203(218)	FB,MC	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11204(224)	B,MC	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11215(228)	MS,MC	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11210(211)	NM	4-1/2",4-Loom,2-TKO	1-1/2"	21.0	50
02H11212(220)	WB,NM	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11213(223)	FB,NM	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11214(225)	B,NM	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11216(229)	MS,NM	2-1/2",4-Loom,1-TKO	1-1/2"	21.0	24/25
02H11217(201)		12-1/2"		21.0	50
02H11218(203)		8-1/2",4-3/4"		21.0	50
02H11219(204)		8-1/2",4-TKO		21.0	50



4" SQUARE BOXES WITH 2-1/8" DEPTH, WELDED

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our collection includes 1-1/2", 2-1/8", 3-1/2" depths with welded steel construction.

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02H21801(230)		12-1/2"	2-1/2",2-3/4"	30.3	24/25
02H21802(231)		8-3/4"	2-1/2",2-3/4"	30.3	24/25
02H21804(232)		8-1/2",4-TKO	2-1/2",2-3/4"	30.3	24/25
02H21805(233)		8-1"	2-1/2",2-3/4"	30.3	24/25
02H21806(235)	WB	6-1/2",3-TKO	3-1/2",2-TKO	30.3	24/25
02H21807(237)	FB	6-1/2",3-TKO	3-1/2",2-TKO	30.3	24/25
02H21808(238)	TS	6-1/2",3-TKO	3-1/2",2-TKO	30.3	24/25
02H21809(248)	MC	4-1/2",4-Loom,2-TKO	1-1/2"	30.3	24/25
02H21803(241)	FB,MC	2-1/2",4-Loom,1-TKO	1-1/2"	30.3	24/25
02H21810(249)	B,MC	2-1/2",4-Loom,1-TKO	1-1/2"	30.3	24/25
02H21811(243)	MS,MC	2-1/2",4-Loom,1-TKO	1-1/2"	30.3	24/25
02H21812(242)	NM	4-1/2",4-Loom,2-TKO	1-1/2"	30.3	24/25
02H21813(240)	FB,NM	2-1/2",4-Loom,1-TKO	1-1/2"	30.3	24/25



4" SQUARE BOXES WITH 3-1/2" DEPTH, WELDED

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our collection includes 1-1/2", 2-1/8", 3-1/2" depths with welded steel construction.


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02H31201					
02H31202(CKO)		12-CKO	4-CKO	46.0	24
02H31203(CKO-FB)	FB,1/2" thru 1-1/4"	10-CKO	4-CKO	46.0	10



4" SQUARE BOXES WITH 1-1/2" DEPTH, DRAWN

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our selection includes 1-1/4", 1-1/2", 2-1/8" depths with drawn steel construction.

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02L11203(190)		12-1/2"	4-1/2"	21.0	50
02L11206(191)		8-3/4"	2-1/2", 2-3/4"	21.0	50
02L11207(192)		8-1/2", 4-3/4"	2-1/2", 2-3/4"	21.0	50
02L11208(194)		8-1/2", 4-CKO	2-1/2", 2-3/4"	21.0	50
02L11209(197)	FB	9-1/2"	4-1/2"	21.0	24
02L11210(195)	FB	6-1/2", 3-CKO	2-1/2", 2-3/4"	21.0	24
02L11211(198)	FB	6-1/2", 3-3/4"	2-1/2", 2-3/4"	21.0	24



- 02L11203(190)
- 02L11206(191)
- 02L11207(192)
- 02L11208(194)
- 02L11209(197)
- 02L11210(195)
- 02L11211(198)

4" SQUARE EXTENTION RING WITH 1-1/2" DEPTH, DRAWN

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02L11213(187)		8-1/2", 4-3/4"	-	22.5	25



- 02L11213(187)

4" SQUARE BOXES WITH 1-1/4" DEPTH, DRAWN


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02L11401(185)		10-1/2"	2-1/2"	18.0	50



- 02L11401(185)

4" SQUARE BOXES WITH 2-1/8" DEPTH, DRAWN

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
02L21801(50/75)		8-1/2", 4-3/4"	2-1/2", 2-3/4"	30.3	24
02L21802(75)		8-3/4"	2-1/2", 2-3/4"	30.3	24
02L21803(CKO)		8-1/2", 4-CKO	2-1/2", 2-3/4"	30.3	24
02L21804(50/75 FB)	FB	6-1/2", 3-3/4"	2-1/2", 2-3/4"	30.3	24
02L21805(50 FB)	FB	9-1/2"	4-1/2"	30.3	24
02L21806(CKO FB)	FB	6-1/2", 3-CKO	2-1/2", 2-3/4"	30.3	24



- 02L21801(50/75)
- 02L21802(75)
- 02L21803(CKO)
- 02L21804(50/75 FB)
- 02L21805(50 FB)
- 02L21806(CKO FB)

SUPER SHALLOW HANDU BOX DRAWN

16MM GALVANIZED STEEL
Handy Boxes mount on the surface of the wall and are used in the installation of switches, receptacles, and other electrical devices with 1-1/4", 1-1/2" and 1-2/8" depths with drawn steel construction.

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
01L11401(610)		8-1/2"	2-1/2"	8.5	50



- 01L11401(610)

HANDY BOXES DRAWN

16MM GALVANIZED STEEL
Handy Boxes mount on the surface of the wall and are used in the installation of switches, receptacles, and other electrical devices with 1-1/2" and 2-1/8" depths with welded steel construction.


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
01L11201		8-1/2"	2-1/2"	11.5	50
01L17801(660)		8-1/2"	2-1/2"	13.0	50
01L17802(663)		4-3/4", 2-1/2"	2-1/2"	13.0	50
01L17803(664)		8-1/2"	3-1/2"	13.0	50




- 01L11201



- 01L17801(660)



- 01L17802(663)




- 01L17803(664)


HANDY BOXES WELDED AND EXTENSION RING

16MM GALVANIZED STEEL
Handy Boxes mount on the surface of the wall and are used in the installation of switches, receptacles, and other electrical devices with 1-1/2" and 2-1/8" depths with welded steel construction.


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
01H21801(667)		8-1/2"	3-1/2"	16.5	50
01H11201(653)		8-1/2"	-	11.5	50
01H17801(654)		8-1/2"	-	13.0	50



- 01H21801(667)



- 01H11201(653)




- 01H17801(654)

4" Octagon Box
WITH 1-1/4" DEPTH, DRAWN

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our selection includes 1-1/4", 1-1/2", 2-1/8" depths with drawn steel construction.


ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
04L11201(125)	/	4*1/2'	5*1/2'	15.5	50
04L11202(126)	/	4*3/4'	3*1/2',2*3/4'	15.5	50
04L11203(127)	/	2*1/2',2*3/4'	3*1/2',2*3/4'	15.5	25
04L11205(146)	/	4*LP,2*1/2'	1*1/2'	15.5	25
04L11212(152)	L	4*LP,1*1/2'	1*1/2'	15.5	25
04L11206(153)	/	4*LP,2*1/2'	1*1/2'	15.5	25
04L11207(155)	FOB	4*LP,1*1/2'	1*1/2'	15.5	50
04L11213(157)	LB	4*LP,1*1/2'	1*1/2'	15.5	50
04L11215(160)	LB	4*LP,1*1/2'	1*1/2'	15.5	25
04L11217(161)	FOB	3*1/2'	5*1/2'	15.5	25
04L11218(164)	FOB	4*LP,1*1/2'	1*1/2'	15.5	25
04L11214(177)	FOB	4*LP,1*1/2'	1*1/2'	15.5	25
04L11211(324)	BHA-1	4*1/2'	4*1/2'	15.5	25
04L11210(325)	BHA-1	4*LP,1*1/2'	/	15.5	25
04L11208(326)	BHA-1	4*LP,1*1/2'	/	15.5	25
04L11209(925)	BHA-2	4*LP,1*1/2'	1*1/2'	15.5	24
04L11219(926)	BHA-2	2*1/2',2*3/4'	3*1/2',2*3/4'	15.5	24



4" Octagon EXTENTION RING
WITH 1-1/2" DEPTH, DRAWN

16MM GALVANIZED STEEL
4" Square (4S) Boxes are used to install lighting fixtures, switches, and receptacles in ceilings and walls. Our selection includes 1-1/4", 1-1/2", 2-1/8" depths with drawn steel construction.

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
04L11216(128)	/	4*1/2'	/	15.5	25
04L11215(130)	/	2*1/2',2*3/4'	/	15.5	25




•04L11216(128) •04L11215(130)

4" Octagon Box
WITH 2-1/8" DEPTH, DRAWN

16MM GALVANIZED STEEL
4" Octagon Boxes are used in the installation of light fixtures and other electrical devices in walls and ceilings. Our selection includes 1-1/2", 2-1/8" with side brackets (FB, LB...), bar hangers, and sliding brackets to suit specific needs.

ITEM NO.	Description	Knockouts		CU. IN.	Std. Pkg.
		Sides	Bottom		
04L21801(801)	/	4*1/2'	5*1/2'	21.5	24
04L21802(802)	/	4*3/4'	3*1/2',2*3/4'	21.5	24
04L21803(803)	/	2*1/2',2*3/4'	3*1/2',2*3/4'	21.5	24



•04L21801(801) •04L21802(802) •04L21803(803)

4X2" Handy Box Covers,
2-5/16" Wide X 4-3/16" Length

16MM GALVANIZED STEEL

Handy Box Covers are used with handy boxes to protect wiring inside the box. Orbit Industries offers various designs for receptacles, switches, and other devices.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR860	Stamp	2'*4'		25
KR861	Stamp	2'*4'	1/2'	25
KR862	Stamp	2'*4'		25
KR863	Stamp	2'*4'	1.406'dia	25
KR864	Stamp	2'*4'		25
KR865	Stamp	2'*4'		25
KR867	Stamp	2'*4'	1.6'dia	25




4" Octagon And Round Covers

16MM GALVANIZED STEEL

4" Round Covers are used to cover and protect wires in the box. Orbit Industries offers a variety of designs to accommodate many types of electrical devices. Selected models are raised, with open covers and ears.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR722	Stamp	4*4		25
KR724	Stamp	4*4	1*1/2"	25
KR725	Stamp	4*4	MKO	25
KR726	Stamp	4*4	1.4'dia	25
KR729	Stamp	4*4		25
KR731	Stamp	4*4"		25
KR737	Stamp	4*4*1/2"	1*1/2"	25
KR727	Stamp	4*4*5/8"	1*1/2"	25
KR4R075	Stamp	4*4*3/4"	1*1/2"	25
KR732	Stamp	4*4*1"	1*1/2"	25
KR4R125	Stamp	4*4*1-1/4"	1*1/2"	25
KR4R150	Stamp	4*4*1-1/2"	1*1/2"	25
KR4R200	Stamp	4*4*2"	1*1/2"	25




4" Square Combination – Device And Tile Cover Single Device

16MM GALVANIZED STEEL

4" Square (4S) 1-Gang Device Rings are used with 4" Square (4S) boxes to mount electrical fixtures, switches, and other devices. Raised rings ranging from 1/4" to 2" accommodate drywall and added wall thicknesses.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR787	Stamp	4*4		25
KR771	Drawn	4*4*1/4"	1*1/2"	25
KR772	Drawn	4*4*1/2"	MKO	25
KR768	Drawn	4*4*5/8"	1.4'dia	25
KR773	Drawn	4*4*3/4"	1.6dia	25
KR774	Drawn	4*4*1"		25
KR775	Drawn	4*4*1-1/4"		25
KR785	Drawn	4*4*1-1/2"	1*1/2"	25
KR786	Drawn	4*4*2"	1*1/2"	25




4" Square Combination – Device And Tile Cover

16MM GALVANIZED STEEL

4" Square (4S) 2-Gang Device Rings are used with 4" Square (4S) boxes to mount electrical fixtures, switches, and other devices. Raised rings ranging from 1/4" to 2" accommodate drywall and added wall thicknesses.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR791	Stamp	4*4		25
KR777	Drawn	4*4*1/4"	1*1/2"	25
KR778	Drawn	4*4*1/2"	1*1/2"	25
KR769	Drawn	4*4*5/8"	1*1/2"	25
KR779	Drawn	4*4*3/4"	1*1/2"	25
KR780	Drawn	4*4*1"	1*1/2"	25
KR781	Drawn	4*4*1-1/4"	4*CKO	25
KR795	Drawn	4*4*1-1/2"	4*CKO	25
KR796	Drawn	4*4*2"	4*1/2"	25




4" Square Covers

16MM GALVANIZED STEEL

4" Square (4S) Covers are used to cover and protect wires inside the box. Selections include flat covers with various knockouts or raised covers for a range of lighting fixtures and other devices.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR752	Stamp	4*4		25
KR753	Stamp	4*4	1*1/2"	25
KR754	Stamp	4*4	1*1/2-3/4"	25
KR4300	Drawn	4*4	4*1/2"	25
KR767	Drawn	4*4*1/2"	2*1/2", 2*3/4"	25
KR756	Drawn	4*4*5/8"	2*1/2", 2*3/4"	25
KR759	Drawn	4*4*3/4"	2*1/2", 2*3/4"	25
KR757	Drawn	4*4*1"	2*1/2", 2*3/4"	25
KR758	Drawn	4*4*1-1/4"	2*1/2", 2*3/4"	25
KR43150	Drawn	4*4*1-1/2"	2*1/2", 2*3/4"	25
KR43200	Drawn	4*4*2"	2*1/2", 2*3/4"	25



Device Covers For Gang Boxes, Raised 3/4"

16MM GALVANIZED STEEL

Multigang Boxes include covers for various devices and fit boxes with multiple gangs ranging from 1 to 9 gang. They are raised 1/4", 1/2" and 3/4" to accommodate extra wall thickness and fit boxes with multiple gangs ranging from 1 to 9 gangs.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR821	Rivet	2G*3/4'		25
KR822	Rivet	3G*3/4'		25
KR823	Rivet	4G*3/4'		25
KR824	Rivet	5G*3/4'		25
KR825	Rivet	6G*3/4'		25
KR826	Rivet	7G*3/4'		25
KR827	Rivet	8G*3/4'		25
KR828	Rivet	9G*3/4'		25




4" Square Covers

16MM GALVANIZED STEEL

4" Square (4S) Covers are used to cover and protect wires inside the box. Selections include flat covers with various knockouts or raised covers for a range of lighting fixtures and other devices.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR4401	Drawn	4*4*1/2'		25
KR4402	Drawn	4*4*1/2'		25
KR4403	Drawn	4*4*1/2'	1.406" Dia	25
KR4404	Drawn	4*4*1/2'		25
KR4405	Drawn	4*4*1/2'	1.620" Dia	25
KR4406	Drawn	4*4*1/2'	1.719" Dia	25
KR4407	Drawn	4*4*1/2'	2.141" Dia	25
KR4408	Drawn	4*4*1/2'	2.625" Dia	25
KR4409	Drawn	4*4*1/2'	2.165" Dia	25
KR4411	Drawn	4*4*1/2'		25
KR4412	Drawn	4*4*1/2'		25
KR4444	Drawn	4*4*1/2'		25
KR4414	Drawn	4*4*1/2'		25




4" Square Industry Cover

Raised 1/2" Grey Powder Coating

16MM GALVANIZED STEEL

4" Square (4S) Industrial Covers, raised 1/2" are used to protect wires inside the box for switches, receptacles, and outlets. Selected models feature crushed corners.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KR4400	Drawn	4*4*1/2'		25
KR4413	Drawn	4*4*1/2'	1.406" Dia	25
KR4422	Drawn	4*4*1/2'		25
KR4423	Drawn	4*4*1/2'	1.406" Dia	25
KR4424	Drawn	4*4*1/2'		25
KR4433	Drawn	4*4*1/2'	1.406" Dia	25




Device Covers For Gang Boxes, Raised 3/4"

16MM GALVANIZED STEEL

Multigang Boxes include covers for various devices and fit boxes with multiple gangs ranging from 1 to 9 gang. They are raised 1/4", 1/2" and 3/4" to accommodate extra wall thickness and fit boxes with multiple gangs ranging from 1 to 9 gangs.

ITEM NO.	Technology	SIZE	KO	Std.
				Pkg.
KR821-5/8	Rivet	2G*5/8'		25
KR822-5/8	Rivet	3G*5/8'		25
KR823-5/8	Rivet	4G*5/8'		25
KR824-5/8	Rivet	5G*5/8'		25
KR825-5/8	Rivet	6G*5/8'		25
KR826-5/8	Rivet	7G*5/8'		25
KR827-5/8	Rivet	8G*5/8'		25
KR828-5/8	Rivet	9G*5/8'		25




Device Covers For Gang Boxes, Raised 1/2"

16MM GALVANIZED STEEL

Multigang Boxes include covers for various devices and fit boxes with multiple gangs ranging from 1 to 9 gang. They are raised 1/4", 1/2" and 3/4" to accommodate extra wall thickness and fit boxes with multiple gangs ranging from 1 to 9 gangs.

ITEM NO.	Technology	SIZE	KO	Std.
				Pkg.
KR821-1/2	Rivet	2G*1/2'		25
KR822-1/2	Rivet	3G*1/2'		25
KR823-1/2	Rivet	4G*1/2'		25
KR824-1/2	Rivet	5G*1/2'		25
KR825-1/2	Rivet	6G*1/2'		25
KR826-1/2	Rivet	7G*1/2'		25
KR827-1/2	Rivet	8G*1/2'		25
KR828-1/2	Rivet	9G*1/2'		25




Device Covers For Gang Boxes, Raised 1/4"

16MM GALVANIZED STEEL

Multigang Boxes include covers for various devices and fit boxes with multiple gangs ranging from 1 to 9 gang. They are raised 1/4", 1/2" and 3/4" to accommodate extra wall thickness and fit boxes with multiple gangs ranging from 1 to 9 gangs.

ITEM NO.	Technology	SIZE	KO	Std.
				Pkg.
KR821-1/4	Rivet	2G*1/4'		25
KR822-1/4	Rivet	3G*1/4'		25
KR823-1/4	Rivet	4G*1/4'		25
KR824-1/4	Rivet	5G*1/4'		25
KR825-1/4	Rivet	6G*1/4'		25
KR826-1/4	Rivet	7G*1/4'		25
KR827-1/4	Rivet	8G*1/4'		25
KR828-1/4	Rivet	9G*1/4'		25




Device Covers For Gang Boxes, Raised 1/4"

16MM GALVANIZED STEEL

Multigang Boxes include covers for various devices and fit boxes with multiple gangs ranging from 1 to 9 gang. They are raised 1/4", 1/2" and 3/4" to accommodate extra wall thickness and fit boxes with multiple gangs ranging from 1 to 9 gangs.

ITEM NO.	Technology	SIZE	KO	Std.
				Pkg.
KR821-1	Rivet	2G*1'		25
KR822-1	Rivet	3G*1'		25
KR823-1	Rivet	4G*1'		25
KR824-1	Rivet	5G*1'		25
KR825-1	Rivet	6G*1'		25
KR826-1	Rivet	7G*1'		25
KR827-1	Rivet	8G*1'		25
KR828-1	Rivet	9G*1'		25



4" Square Covers

16MM GALVANIZED STEEL

4" Square (4S) Covers are used to cover and protect wires inside the box. Selections include flat covers with various knockouts or raised covers for a range of lighting fixtures and other devices.

ITEM NO.	Technology	SIZE	KO	Std. Pkg.
KRGBGFI-2	Stamp	4'*4'*1/2'		25
KRGBGFI-3	Stamp	4'*4'*1/2'		25
KRGBGFI-4	Stamp	4'*4'*1/2'		25
KRGBGFI-5	Stamp	4'*4'*1/2'		25
KRGBGFI-6	Stamp	4'*4'*1/2'		25
KRGBGFI-7	Stamp	4'*4'*1/2'		25
KRGBGFI-8	Stamp	4'*4'*1/2'		25
KRGBGFI-9	Stamp	4'*4'*1/2'		25
KRGBTC-2	Stamp	4'*4'*1/2'		25
KRGBTC-3	Stamp	4'*4'*1/2'		25
KRGBTC-4	Stamp	4'*4'*1/2'		25
KRGBTC-5	Stamp	4'*4'*1/2'		25
KRGBTC-6	Stamp	4'*4'*1/2'		25
KRGBTC-7	Stamp	4'*4'*1/2'		25
KRGBTC-8	Stamp	4'*4'*1/2'		25
KRGBTC-9	Stamp	4'*4'*1/2'		25



•KRDBGFI-2 •KRDBGFI-3 •KRDBGFI-4 •KRDBGFI-5 •KRDBGFI-6



•KRDBGFI-7 •KRDBGFI-8 •KRDBGFI-9 •KRDBGTC-2 •KRDBGTC-3




•KRDBGTC-4 •KRDBGTC-5 •KRDBGTC-6 •KRDBGTC-7 •KRDBGTC-8 •KRDBGTC-9


Masonry Boxes

16MM GALVANIZED STEEL


Masonry Boxes are used in the installation of electrical fittings and other devices in masonry walls with 2-1/2", 3-1/2" depths and Concentric Knockouts (CKO). Selected Models support multiple gangs ranging from 1-6 gangs.



•1G •2G •3G •4G



•686 msb-3-fb •687 msb-4-fb •694 msb-5_1 •695 mb-1



•696 mb-2 •697 mb-3 •698 mb-4 •699 mb-5 •960 msb-6 •965 mb-6 •msb-5-fb

Multigang Boxes

16MM GALVANIZED STEEL


Multigang Boxes are used in the installation of lighting fixtures, switches, and other electrical devices with 1-5/8" and 2-1/2" depth. Selected Models support multiple gangs ranging from 2-9 gangs and offer 1/2", 3/4", 1" knockouts.



•sb-2_1 •sb-3_3 •sb-4 •sb-5



•sb-6 •sb-7 •sb-8 •sb-9



•sdb-2_1 •sdb-3_1 •sdb-4 •sdb-5 •sdb-6_1